

ULT 500



LASER FUMES



DUST AND SMOKE



SOLDERING FUMES



ODORS, GASES, AND VAPORS



CLEANING INDUSTRIAL GASES



NEW EMISSIONS



WELDING FUMES



OIL AND EMULSION MISTS




COMPLETE SOLUTIONS

Version: 01

Dated: 07/2020



Extraction. Filtration. Persistence.



Accessory articles

Devices.....	3
DN125 extraction system.....	4
DN150 extraction system.....	5
High-Pressure Accessory.....	5
Pre-separators	6
Spare / Wear Parts	6
Replacement filter.....	7

In conjunction with their filters, the ULT 500 filter devices offer a specific solution for all extraction purposes

ULT AG offers a range of selected suction hoses and accessories for individually configuring the ULT 500. The product range includes DN50, DN125 and DN150 diameters.

The ULT 500 can be operated with an extraction arm from the manufacturer Flextraction®.

A wide range of System 125 extraction arms are available for the device. You can choose from a wide range of models and lengths. You can choose between wall and device mounting. All models are available as oil resistant, ATEX certified or chemical resistant versions.

Extraction arms adapt perfectly to different workplace geometries and working conditions. Telescopic extraction arms are specially designed for working conditions with restrictions such as low ceilings or cramped spaces.

To ensure full capture, you can select collecting elements matching the pollution source. Flat hoods concentrate the extraction flow and flared hoods catch rising vapors.

ULT AG offers a selected model as protective measures against sparks for a higher safety level. A ATEX-certified spark pre-separator is available for this purpose.

In depth information regarding the use and interpretation of spark arrestors can be found in the according technical documentation, which is provided by ULT AG.


ULT AG offers cyclone pre-separators for the pre-separation of coarse and abrasive particles. Through their use, the service life of the filter is increased by a lower load.

For floor suction / cleaning work, ULT AG offers required high-pressure accessories.

Devices


The accessory portfolio relates to the following devices:

ASD – Dust and Smoke



ASD 500 MD.47 1PaR10 PE ASD 500 HD.14 1PaR10 PE	750 m ³ /h 270 m ³ /h	ASD 0500.2-MD.47.0.8 ASD 0500.1-EC.1.8
Pneumatic shut-off valve		ULT 0500.0-Opt.01
Particle filter saturation signal		ULT 0500.0-Opt.02
Terminal strip in control cabinet		ULT 0500.0-Opt.04
Prepared for filter-aid metering unit		ULT 0500.0-Opt.05
Hour counter		ULT 0500.0-Opt.06
Connection high-pressure accessories*		

LAS – Laser Fumes



LAS 500 MD.47 1PaR7,5 PTFE LAS 500 HD.14 1PaR7,5 PTFE	750 m ³ /h 270 m ³ /h	LAS 0500.2-MD.47.0.9 LAS 0500.1-EC.1.9
Pneumatic shut-off valve		ULT 0500.0-Opt.01
Terminal strip in control cabinet		ULT 0500.0-Opt.04
Prepared for filter-aid metering unit		ULT 0500.0-Opt.05
Hour counter		ULT 0500.0-Opt.06
Connection high-pressure accessories*		

*only for HD.14 devices

DN125 extraction system

Hoses



Suction hose DN125, per meter	antistatic, without accessories	ULT 06.1.027
----------------------------------	------------------------------------	--------------

Hose accessories



Worm drive hose clip	110-130 mm	ULT 06.0.038
----------------------	------------	--------------

Extraction arms




Extraction arm DN125, 2 meters	with wall mounting, without collecting element	CA2-125-B- PU301
Welding smoke-, oil- resistant	Flextractor accessory	



Telescopic arm DN125, 1,2-1,6 meters	without collecting element	CT2-125-B- PU301
Welding smoke-, oil- resistant	Flextractor accessory	

Collecting elements



Flared hood coated black	Flextractor accessory	CH-125-Flared
--------------------------	-----------------------	---------------



Flat hood coated black	Flextractor accessory	CH-125-Flat
------------------------	-----------------------	-------------

Extraction arms for EX-applications



Extraction arm DN125, 2 meters	with wall mounting, without collecting element	XCA2-125-B- PE322
ATEX certified	Flextractor accessory	




Telescopic arm DN125, 1,2-1,6 meters	without collecting element	XCT2-125-B- PE322
ATEX certified	Flextractor accessory	

Collecting elements for EX-applications



Flared hood ATEX certified	Flextractor accessory	XCH-125-Flared
----------------------------	-----------------------	----------------



Flat hood ATEX certified	Flextractor accessory	XCH-125-Flat
--------------------------	-----------------------	--------------

DN150 extraction system

Hoses



Suction hose DN150, per meter	without accessories	ULT 06.1.023
----------------------------------	---------------------	--------------



Suction hose DN150, per meter	antistatic, without accessories	ULT 06.1.028
----------------------------------	------------------------------------	--------------

Hose accessories



Spiral hose clamp	145-165 mm	ULT 06.0.098
-------------------	------------	--------------

High-Pressure Accessory

The suction accessories refer to the HD.14 high-pressure systems

Floor vacuum



Suction pipe bend DN50	galvanized	6-07652
------------------------	------------	---------



Suction pipe DN50	galvanized	6-07653
-------------------	------------	---------



Floor suction nozzle DN50	width 450 mm	6-07654
---------------------------	--------------	---------

Vacuum accessories



Suction hose DN50, per meter	antistatic, without accessories	ULT 06.1.017
---------------------------------	------------------------------------	--------------



Hose connection DN50	Connection suction pipe hose	6-07655
----------------------	------------------------------	---------

Pre-separators

Cyclone pre-separator



Pre-separator DN125 (for larger pieces to prevent damage to the filter)	with cyclone attachment, 120 l dust collector
ZV 500-Cyclone DN100 (for pre.separation of coarser particles to extend the service life of the filter)	40 l dust collector

Spark separator



Spark arrester NT125 DN50 200 – 400 m ³ /h	incl. 2 pipe clamps	ULT 09.1.239
---	---------------------	--------------

Spare / Wear Parts

Dust bucket

Dust bucket 30 l with lid	ULT 01.0.034
Gaskets dust bin	ULT 01.0.042

Filter aids

Filter aid ULTimod 01	ULT.02.1.109
-----------------------	--------------

Electrical parts

Magnetic valve 2/2 ways	ULT 03.0.026
-------------------------	--------------

Pneumatic parts

Rotary nozzle complete	ULT 04.0.019
------------------------	--------------

Vacuum generator

Medium pressure fan MD.47	ULT 05.0.102
Turbine HD.14	ULT 05.0.043

Replacement filter

ASD



Filter 1PaR10

Filter cartridge PE	ULT 02.0.004
---------------------	--------------

LAS



Filter 1PaR7.5

Filter cartridge PTFE	ULT 02.0.002
-----------------------	--------------